




Nombre de la Empresa y Dirección	thyssenkrupp Rasselstein GmbH Koblenzer Straße 141, 56626 Andernach Germany (Sede central y producción)
homepage	https://www.thyssenkrupp-steel.com/en/company/business-units/packaging-steel
Número de empleados	2.400
Procesos	Producción de hojalata y acero cromado especial para envases ECCS/TFS: Decapado, laminado en frío, recocido BA y CA, relaminado, estañado o revestimiento ECCS, laminado de bobinas, corte longitudinal y transversal, barnizado de chapas
Productos	Hojalata y acero cromado especial para embalajes ECCS en espesores de 0,100 mm a 0,499 mm y anchuras de 10 mm a 1.200 mm, Revestimiento orgánico con baníz y/o película de laminación
Programa de entrega de acero para envases	https://www.thyssenkrupp-steel.com/media/content_1/branchen/product_range_packaging_steel_thyssenkrupp.pdf





Categoría Estructura de alto nivel	Categoría	Asunto	Descripción
4.3	Certificates	Valid certificates	ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018, ISO 50001:2018, HACCP/GMP
4.3	Certificates	Valid certificates	No certification according to ISO 22000, BRC, GFSI
4.3	Certificates	Valid certificates	https://www.thyssenkrupp-steel.com/en/company/operations-and-business-units/packaging-steel/certificates/zertifikate.html
4.4	Processes	Processes carried out on site	Pickling, cold rolling, degreasing/annealing, temper rolling, surface finishing, coating, shop finishing, packaging
5.1.1.1	Corporate Social Responsibility (CSR)	Ethical principles	thyssenkrupp Rasselstein has a Code of Conduct and a Supplier Code of Conduct.
5.1.1.1	Corporate Social Responsibility (CSR)	Complaints office	Compliance incidents can be reported anonymously (email, phone, postal service).
5.1.1.1	Corporate Social Responsibility (CSR)	Human rights	thyssenkrupp Rasselstein recognizes the principles of universal human rights.
5.1.1.1	Corporate Social Responsibility (CSR)	Supply chain regulation EU 2017/821	Supply chain due diligence obligations for union importers of tin, tantalum, tungsten, their ores and gold originating from conflict-affected and high-risk areas are met according to the supply chain regulation.
5.1.1.1	Corporate Social Responsibility (CSR)	SEDEX-SMETA	The 4-pillar SMETA standard is complied with. The last audit took place in December 2021.
5.2	Corporate policy	Quality policy	Quality policy is in place, communicated and published.
5.3	Roles, responsibilities and authorities	Job descriptions	Job descriptions are available for all positions.
6.1.2.3	Emergency/crisis management	Customer supply	thyssenkrupp Rasselstein has a structured business continuity- / disaster recovery plan
6.2	Emergency/crisis management	Delivery performance	A target value is set.
6.2	Quality objectives	Performance appraisal / performance pay / bonus	Performance appraisals (performance pay / bonuses) are used in the collective bargaining and non-tariff areas.
7.1.3	Infrastructure	Staff changing rooms	The production staff has changing rooms and lockers for personal belongings.
7.1.4	Infrastructure	Cleanliness in production area	Cleaning schedules are defined for each production area. The condition is checked during inspection rounds.
7.1.4	Infrastructure	Smoking areas	In general, smoking is prohibited on company premises. Smoking is only permitted in designated areas.



7.1.5	Laboratory	Internal laboratory	At the inspection station, one outgoing goods inspection is carried out for each cold-rolled strip. The outgoing goods inspection follows an inspection plan, which is based on tinsplate standard DIN EN ISO 10202 or on the customer order.
7.1.5	Laboratory	Outsourced laboratory testing	Institut Eurofins Consumer Product Testing GmbH
7.1.5	Test/measuring equipment	Test/measuring equipment	All quality-relevant test/measuring equipment is subject to inspections and is checked regularly. The inspection of test equipment is monitored and documented centrally. Responsible persons are defined to ensure calibration. The test equipment officer defines the framework for test equipment monitoring.
7.1.5	Test/measuring equipment	Tensile test	All testing/measuring equipment used in material testing is certified and regularly calibrated.
7.2	Qualifications, training	Qualifications	The necessary qualifications are defined for each workplace. Lacking qualifications are acquired through qualification measures. The following qualification measures take place: Training courses, seminars, instructions
7.2	Qualifications, training	Further education	thyssenkrupp Rasselstein has development programs to prepare staff for specialist and management careers.
7.2	Qualifications, training	Occupational health care	Occupational health and safety measures are defined and performed for each workplace.
7.2	Qualifications, training	Medical health program	thyssenkrupp Rasselstein has a health program with voluntary preventive medical examinations.
7.5.1	Documented information	Quality management manual	thyssenkrupp Rasselstein has a manual on the integrated management system.
7.5.3	Documented information	Retention periods	As a rule, steered documents are kept for 6 years.
8.2	Documented information	Customer inquiries	Customer inquiries are checked for feasibility in an inquiry meeting.
8.3	Documented information	Product development	thyssenkrupp Rasselstein delivers in accordance with the tinsplate standard, there is no product development.
8.4.1	Purchasing	Supplier management	Quality-relevant products are only procured from approved suppliers. Technical specifications and, if necessary, quality assurance agreements have been made with the suppliers.
8.4.2	Purchasing	Supplier audit (2nd party audit)	thyssenkrupp Rasselstein has an audit programme for suppliers. The audits are usually carried out in accordance with the VDA 6.3 standard. Other standards such as Corporate Social Responsibility, ISO 45001, ISO 14001, Supply Chain Duty of Care Act, EU Conflict Minerals Regulation 2017/821 can also be part of the audit
8.4.2	Purchasing	Incoming goods inspection	For quality-relevant products.
8.4.2	Purchasing	Access control	Access to the factory premises is only granted to registered persons. Random checks are carried out at the factory exit.



8.4.2	Purchasing	Outsourced processes	Galvanizing is carried out by contracted company
8.4.2	Purchasing	Outsourced service	External craftsmen support the maintenance of production facilities.
8.4.2	Purchasing	Conflict minerals	The company has a statement on conflict minerals. It can be viewed on request.
8.5	Production	Reference samples	Rasselstein does not hold keep reference samples.
8.5	Production	Works test certificates	Works test certificates are provided in coordination with the customer.
8.5	Production	Non-compliant products	Non-compliant products are marked and steered according to a defined procedure. Products that are not within the specification will not be shipped to customers without prior approval.
8.5.1	Production	Maintenance	thyssenkrupp Rasselstein carries out preventive and proactive maintenance. Maintenance is planned, carried out and followed up under SAP control.
8.5.1	Production	Control plan	A control plan of process parameters and product characteristics is specified for each production process.
8.5.2	Production	Labeling / traceability	All products are clearly marked (identifiable) and traceable. Traceability tests are carried out regularly as part of internal audits.
8.5.4	Production	Storage conditions	Intermediate and final products are stored in a protective environment. The first-in-first-out principle is applied. The storage conditions are checked regularly.
8.7	Complaints, recalls	Customer complaints	thyssenkrupp Rasselstein has a process for handling customer complaints. Procedure: <ul style="list-style-type: none"> - Determine immediate action - Analyze cause - Determine corrective action - Check effectiveness
8.7	Complaints, recalls	Recall process	thyssenkrupp Rasselstein has a documented procedure for recall process in place.
8.7	Logistics	Transport	Product transport takes place by: Rail Ship Truck The transport is carried out by the transport service providers in accordance with the agreed Incoterms. Loading regulations are defined for each type of transport and communicated to the transport companies. The transport is regularly checked on site.
9.1	Logistics	Process capability analysis	Due to a 100% outgoing goods inspection, no process capabilities are stated.
9.1	Logistics	Statistical process control (SPC)	Statistical process control (SPC) is used to monitor product characteristics and process parameters.



9.1.2	Process control	Customer satisfaction analyses	Customer satisfaction analyses are carried out at regular intervals. The continuously incoming supplier evaluations are also analyzed.
9.2	Audit	Internal audits	Internal audits are carried out according to an audit program. The specifications of ISO 9001 and IATF 16949 are observed. Internal audits conducted in accordance with the standards: ISO 9001: 2015, IATF 16949:2016, ISO 14001:2015, ISO 45001:2018, ISO 50001:2018, HACCP/GMP
9.2	Audit	Customer audits	Audits are carried out in coordination with the customer.
9.3	Management review	Management review	The management review takes place annually.
10.2.3	Troubleshooting	Troubleshooting	thyssenkrupp Rasselstein has a structured troubleshooting process. In case of non-conformities - Determine immediate action - Analyze cause - Determine corrective action - Check effectiveness Depending on the non-conformity, it is documented.
10.2.5	Troubleshooting	Liability insurance	thyssenkrupp Rasselstein has a product liability insurance.
10.3	CIP	Continuous improvement process (CIP)	A continuous improvement process (CIP) is applied as a key tool in every team.
	HACCP/GMP	Pest control	Pest control is carried out by an external service provider. The bait spots are marked and documented on a map. The checks are carried out on regular base. The external service provider is certified and qualified to carry out pest control. The substances used are registered. Inspection means used for: - Rodents - Flying insects
	HACCP/GMP	HACCP audit (3rd party)	The audits take place at regular intervals. Documentation is available.
	HACCP/GMP	PRP/PRPO and CCP	Steering points are identified and recorded in the control plans.
	HACCP/GMP	Cross-contamination	Institut Eurofins Consumer Product Testing GmbH
	HACCP/GMP	Staff hygiene	Hygiene guidelines are stated as instructions. Additional content: Use of glass
	HACCP/GMP	Hygiene of external staff	External staff is instructed on hygiene guidelines as part of the safety briefing.
	HACCP/GMP	Eating and drinking	In HACCP zones eating and drinking is only allowed in the designated areas.
	HACCP/GMP	Silicone/Teflon	The process is free of silicone and Teflon.



HACCP/GMP	Food defense	The plant premises are protected against unauthorized access. Only registered persons can enter the plant premises using a pass.
HACCP/GMP	Glass breakage	No glass or breakable material may be used in the HACCP areas. In case of glass breakage, there is a procedure for reporting glass breakage.
HACCP/GMP	Allergens	An Allergen Statement can be provided upon request.
HACCP/GMP	REACH	All steel products like blackplate and surface finished packaging steel manufactured by thyssenkrupp Rasselstein are considered as articles according to REACH Regulation 1907/2006. A statement can be provided upon request.
Environmental management	Environmental policy	Environmental policy in place, communicated and published.
Environmental management	Environmental influences / effects	Relevant environmental aspects have been identified and documented.
Environmental management	Recycling rate	Data is collected and published regularly.
Environmental management	Waste rate	Data are collected and documented. Available on request
Environmental management	Waste management	Waste is collected in separate systems
Environmental management	Environmental targets	Team-specific targets are regularly defined in accordance with ISO 14001.
Environmental management	Chemical register	The introduction of chemicals is subject to an approval process. All approved chemicals are listed in a chemical register with technical data sheets.
Environmental management	Chemical storage	Chemicals are stored appropriately
Environmental management	Reportable environmental incidents	Incidents are recorded and reported in accordance with ISO 14001.
Environmental management	Sustainability strategy	https://www.thyssenkrupp-steel.com/en/company/business-units/packaging-steel/sustainability/
Energy management	Energy management	ISO 50001 certification, energy measurement technology, energy efficiency, energy strategy, energy policy
Safety/health protection	Accident rate (TRIR)	The audits take place at regular intervals. Documentation is available.
Safety/health protection	Reportable safety/health incidents	The audits take place at regular intervals. Documentation is available.
Safety/health protection	Occupational health care	Occupational health and safety measures are defined and performed for each workplace.
Safety/health protection	Health-promoting company	Promoting the individual health of our employees is an important contribution to the long-term success of our company. To this end, we can offer every employee a wide range of health promoting measures.
Safety/health protection	Gym	A free gym is available to all employees to maintain, improve or restore physical performance levels.
General company information	Childcare	The company has its own childcare facility. Agreements on flexible working are also in place.



General company information	Professional associations	The company is a member of the employer association "vem".
General company information	Business license	thyssenkrupp Rasselstein is registered in the German commercial register (Handelsregister) as a 'GmbH'—'limited liability company'. Koblenz District Court Commercial Register Part B 13990 (HRB). Excerpt of the commercial register is available on request. DUNS number 31-278-3046

A blue ink signature of Thomas Denkel, consisting of a stylized 'T' followed by a series of loops and a horizontal stroke.

ppa. Thomas Denkel

Vice President Sales

A blue ink signature of Heiner Schäfer, featuring a complex, overlapping scribble of lines.

ppa. Dr. Heiner Schäfer

Head of Technical Customer Service